State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-244

Relating to Certification of New Heavy-Duty Engines and Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board at Sections 43100, 43101, and 43102 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following engine and emission control system produced by the manufacturer are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Model Year: 2001

Fuel Type: Diesel

Engine Family		lacement <u>Cubic Inches</u>	Exhaust Emission Control Systems and Special Features
1MTXH04.8M5A	4.9	294	Turbocharger Charge Air Cooler Electronic Control Module Oxidation Catalytic Converter Direct Diesel Injection

Engine models and codes are listed on attachments.

BE IT ORDERED AND RESOLVED: That the following are the certification exhaust emission standards (Title 13, California Code of Regulations, Section 1956.8) and certification exhaust emission values for this engine family in grams per brake horsepower-hour under the Federal Test Procedure ("FTP"):

	Total <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Particulate <u>Matter</u>
Standard	1.3	15.5	4.0	0.10
Certification	0.2	1.6	3.7	0.07

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 21 day of June 2000.

R. B. Summerfield, Chief

Mobile Source Operations Division

Process Code: New Submission

ECM,OC,TC,CAC,DDT 8.Fuel Rate: 9.Emission Control (bs/hr)@peak torque Device Per SAE J1930 4-86-244 35 7.Fuel Rate: mm/stroke@peak torque Ϋ́ 97 6.Torque @ RPM (SAE Gross) 347 @ 1600 Manufacturer Family Name: (lbs/hr) @ peak HP (for diesels only) 5.Fuel Rate: 65 mm/stroke @ peak HP (for diesel only) 4.Fuel Rate: Manufacturer: Mitsubishi Motors Corporation 3.BHP@RPM (SAE Gross) EPA Engine Family: 1MTXH04.8M5A 2.Engine Model 1.Engine Code

175 @ 2700

4M50-1AT2

4M501AT2-US0